Forestry Statistics 2021 Chapter 5: Environment

Release date:

30 September 2021

Coverage:

United Kingdom

Geographical breakdown:

Country

Issued by: Forest Research, Silvan House,

231 Corstorphine Road, Edinburgh, EH12 7AT

Enquiries: Robert Stagg, 0300 067 5238

statistics@forestresearch.gov.uk

Statistician: Sheila Ward, 0300 067 5236

Website: www.forestresearch.gov.uk/statistics/



The Research Agency of the Forestry Commission

Forest Research is the Research Agency of the Forestry Commission and is the leading UK organisation engaged in forestry and tree related research.

The Agency aims to support and enhance forestry and its role in sustainable development by providing innovative, high quality scientific research, technical support and consultancy services.

Contents

| Introduction | 4 |
|--|----|
| Key findings | 5 |
| 5.1 Populations of wild birds | 6 |
| 5.2 Public Opinion of Forestry - tree health | 9 |
| 5.3 Woodland types and habitats | 12 |

Introduction

This chapter presents a range of information about the woodland environment, mostly using sources that are outside the scope of National Statistics. They are included to provide additional context to the topic.

Estimates for England, Wales, Scotland and Northern Ireland are included, where possible, in addition to UK or GB totals. Further information on the data sources and methodology used to compile the figures is provided in the Sources chapter.

All of the statistics presented in this chapter have been previously released.

A copy of all environment tables can be accessed in spreadsheet format from the Data Downloads web page at www.forestresearch.gov.uk/tools-and-resources/statistics/data-downloads/.

Key findings

The main findings are:

- The UK woodland bird index has remained relatively stable since the early 1990s, following a period of long-term decline. Since 2015 woodland generalist species have fallen by 3% and woodland specialist species have fallen by 10%.
- Around three quarter (77%) of respondents to the UK Public Opinion of
 Forestry survey 2021 agreed with the statement "action should be taken by
 authorities and woodland managers to protect trees from damaging pests and
 disease".
- The total area of native woodland in Great Britain is estimated to be around 1.51 million hectares (49% of all woodland in Great Britain).
- Non-native coniferous woodland is the single largest habitat type in Great Britain, accounting for 1.29 million hectares (42%).

5.1 Populations of wild birds

Bird populations provide a good indication of the broad state of wildlife in the UK. This is because they are a well-studied taxonomic group, enabling a more informed interpretation of observed changes, who occupy a range of habitats while still responding to the same environmental pressures that also operate on other groups of wildlife.

Indices of wild bird populations in the UK are produced annually by the Department for Environment, Food and Rural Affairs (Defra) in conjunction with the Royal Society for the Protection of Birds (RSPB), the British Trust for Ornithology (BTO) and the Joint Nature Conservation Committee (JNCC), and cover a range of species that are native to the UK. This data has been produced since the early 1970s for the majority of habitat groups, meaning there is considerable long-term data available on the changes in bird populations, which aids in the interpretation of more short-term variation. The latest statistical release on Wild Bird Populations was published in November 2020 and includes data to 2019.

The index for woodland birds was expanded in 2007 to cover 38 species. A further change in 2015 resulted in a reduction to 37 species, of which 12 are generalists and 25 are woodland specialists (those that breed or feed mainly or solely in woodland).

Since the early 1990s, when the majority of species group indices stabilised, the UK woodland bird index has generally been about 20 per cent below the level of the early 1970s, with the decline predominantly in woodland specialist species (Figure 5.1).

Causes for the long-term decline in the woodland bird index may include a lack of diversity in habitats and food sources, loss of habitats and food sources through damage caused by increasing deer populations, and a reduction in some migratory species following pressures in other parts of the world.

In recent years, woodland bird indices have largely decreased. Since 2015 woodland generalist species have fallen by 3% and woodland specialist species have fallen by 10%.

Table 5.1 UK populations of wild birds

index (year 2000 = 100)

| Year | Total breeding birds | Farmland birds | Seabirds | Woodland birds | Woodland generalists | Woodland specialists |
|------|----------------------------|-------------------|----------|-------------------|-------------------------|----------------------|
| 2010 | 97.9 | 87.0 | 84.2 | 101.3 | 101.7 | 98.7 |
| 2011 | 95.6 | 86.4 | 78.0 | 103.2 | 98.1 | 103.7 |
| 2012 | 96.7 | 87.0 | 75.9 | 103.6 | 101.6 | 102.6 |
| 2013 | 89.3 | 79.0 | 72.9 | 90.6 | 89.2 | 89.1 |
| 2014 | 96.4 | 80.2 | 80.0 | 100.9 | 103.3 | 97.7 |
| 2015 | 99.3 | 84.6 | 77.9 | 100.8 | 104.4 | 97.0 |
| 2016 | 96.6 | 77.4 | 80.8 | 96.2 | 102.8 | 91.2 |
| 2017 | 97.7 | 80.7 | 82.4 | 93.5 | 103.9 | 86.7 |
| 2018 | 90.9 | 77.5 | 75.5 | 89.4 | 94.5 | 84.6 |
| 2019 | 93.3 | 77.7 | 79.7 | 93.2 | 100.8 | 87.6 |

Source: British Trust for Ornithology (BTO), Department for Environment, Food and Rural Affairs (Defra), Joint Nature Conservation Committee (JNCC), Royal Society for the Protection of Birds (RSPB).

Notes:

1. Based on data in Wild Bird Populations in the UK, 1970-2019 statistical release (Defra, November 2020).




Figure 5.1 UK populations of woodland birds

Source: British Trust for Ornithology (BTO), Department for Environment, Food and Rural Affairs (Defra), Joint Nature Conservation Committee (JNCC), Royal Society for the Protection of Birds (RSPB).

Notes:

1. Based on data in Wild Bird Populations in the UK, 1970-2019 statistical release (Defra, November 2020).

5.2 Public Opinion of Forestry - tree health

Forest Research has surveys of public attitudes to forestry and forestry-related issues since 1995. The most recent surveys were conducted in 2021 (with separate surveys in Wales, Scotland and across the UK as a whole) and in 2019 (in Northern Ireland). Full results are available within the Public Opinion of Forestry reports available on our website at www.forestresearch.gov.uk/tools-and-resources/statistics/statistics-by-topic/public-opinion-of-forestry/.

Respondents to the UK survey in 2021 were asked their views on a range of statements relating to tree health. The highest level of agreement was seen with the statement "action should be taken by authorities and woodland managers to protect trees from damaging pests and disease", with 77% of UK respondents agreeing (agree or strongly agree) (Figure 5.2 and Table 5.2). This compares with only 24% agreeing with the statement "there is very little that anyone can do to prevent the spread of damaging tree pests and diseases".




Figure 5.2 Public opinion on tree health

Source: UK Public Opinion of Forestry Survey, 2021.

Base: All respondents (approximately 5,000).

Notes:

1. The range of uncertainty around any result should be no more than $\pm 2.1\%$.

Table 5.2 Public opinion on tree health 2015-2021

percent of respondents who agree or strongly agree

| | 2015 | 2017 | 2019 | 2021 |
|---|------|------|------|------|
| Action should be taken by authorities and woodland managers to protect trees from damaging pests and diseases | 75 | 85 | 85 | 77 |
| Everyone should take action when visiting woodlands to help prevent the spread of damaging tree pests and diseases | 57 | 74 | 74 | 69 |
| I would be willing to look out for and report sightings of pests and diseases on trees, if appropriate information and advice was available to me | 55 | 65 | 65 | 62 |
| If I buy an imported tree, it is more likely to carry tree pests and diseases than a tree grown in the UK | 42 | 48 | 46 | 44 |
| I am aware that possible tree pests and diseases can be reported using the Tree Alert app or website | 22 | 23 | 25 | 29 |
| There is very little that anyone can do to prevent the spread of damaging tree pests and diseases | 21 | 23 | 23 | 24 |

Source: UK Public Opinion of Forestry Surveys, 2015-2021.

Base: 2,000 respondents (2015 to 2019); 5,000 respondents (2021).

Note:

1. The range of uncertainty around any result should be no more than $\pm 3.5\%$ in any of the years shown. To compare results over time, a difference of at least 5 percentage points is required to indicate that there is a significant difference.

5.3 Woodland types and habitats

National Forest Inventory (NFI) reports on woodland ecological condition, released in February 2020, provide estimates of the areas of woodland types and of woodland habitats in Great Britain.

Table 5.3a presents estimates of the extent of each type of woodland. The total area of native woodland in Great Britain is estimated to be around 1.51 million hectares. This equates to around one half (49%) of the woodland area in Great Britain. The proportion of native woodland is highest in England (68%), followed by Wales (48%) and Scotland (32%).

Table 5.3a Type of woodland, Great Britain

thousand hectares

| Type of woodland | England | Wales | Scotland | Great Britain |
|-------------------------|---------|-------|----------|------------------|
| Native | 914 | 150 | 443 | 1,507 |
| Near native & fragments | 29 | 7 | 20 | 57 |
| Non-native | 398 | 155 | 908 | 1,461 |
| Not determinable | 2 | 1 | 17 | 20 |
| Total | 1,343 | 313 | 1,388 | 3,045 |

Source: NFI Woodland Ecological Condition Statistics (February 2020)

Notes:

- The report "NFI Woodland Ecological Condition Scoring Methodology" provides further details on woodland types.
- 2. Comparisons with woodland area should not be made as woodland area is defined differently to woodland habitat (with woodland area being greater than habitat area due to the treatment of land uses like open space and clear-fell).
- 3. Clear-fell and transition land are included in the estimates. Woodland type for some clear-fell and transition land cannot be determined and are assigned as not determinable.

Non-native coniferous woodland is the single largest habitat type in Great Britain, accounting for 1.29 million hectares (42%). This is the most common habitat type for Scotland (59%) and Wales (46%). For England, lowland mixed deciduous woodland accounts for over one half (56%) of woodlands.

Table 5.3b Woodland habitats, Great Britain

thousand hectares

| Habitat type | England | Wales | Scotland | Great Britain |
|--|---------|-------|----------|------------------|
| Lowland beech/yew woodland | 54 | 6 | 1 | 62 |
| Lowland mixed deciduous woodland | 748 | 79 | 82 | 909 |
| Native pine woodlands | 0 | 0 | 124 | 124 |
| Non-HAP native pinewood | 0 | 0 | 38 | 38 |
| Upland birchwoods (Scotland), birch dominated upland oakwoods (England, Wales) | 11 | 2 | 120 | 134 |
| Upland mixed ashwoods | 32 | 7 | 15 | 54 |
| Upland oakwoods | 44 | 26 | 33 | 103 |
| Wet woodland | 78 | 28 | 63 | 169 |
| Wood pasture & parkland | 8 | 0 | 3 | 11 |
| Broadleaf habitat NOT classified as priority | 19 | 12 | 21 | 53 |
| Non-native coniferous woodland | 328 | 145 | 819 | 1,292 |
| Clearfelled and transition | 22 | 6 | 70 | 97 |
| Total | 1,344 | 313 | 1,389 | 3,045 |

Source: NFI Woodland Ecological Condition Statistics (February 2020)

Notes:

1. The report "NFI Woodland Ecological Condition Scoring Methodology" provides further details on habitat types.

Alice Holt Lodge

Farnham Surrey, GU10 4LH, UK Tel: **0300 067 5600**

Northern Research Station

Roslin Midlothian, EH25 9SY, UK Tel: **0300 067 5900**

Forest Research in Wales

Environment Centre Wales Deiniol Road, Bangor Gwynedd, LL57 2UW, UK

Tel: **0300 067 5774**

info@forestresearch.gov.uk
www.forestresearch.gov.uk

Forest Research will consider all requests to make the content of our documents available in alternative formats.

Please send any such requests to: research.info@forestresearch.gov.uk

© Crown copyright 2021